



V2KS - 2" DEEP 45 DEGREE INVERTED K BLADE EXTRUDED ALUMINUM LOUVERED EQUIPMENT SCREEN



BLADE - 0.063" THICKNESS TYPE 6063-T5 EXTRUDED ALUMINUM
FRAME - CONCEALED 0.125" THICKNESS TYPE 6063-T5 EXTRUDED ALUMINUM

DESIGNED FOR 100 MPH WIND LOAD
SIZES 12" WIDE X 12" HIGH UP TO UNLIMITED SIZE AVAILABLE

OPTIONS:
HIGHER WIND LOAD RATINGS
ARCHITECTURAL FINISHES

NOTE:
STRUCTURAL FRAMING TO SUPPORTING STRUCTURE (ROOF DECK, WALLS, CONCRETE PAD, ETC.) BY OTHERS. STRUCTURAL FRAMING IS REQUIRED EVERY 60" OF WIDTH OR HEIGHT TO MEET 100 MPH WIND LOAD.

SECTION VIEW

ELEVATION VIEW

END PANEL	STIFFENER	VERTICAL MULLION (MULTIPLE PANELS WIDE)	MITERED OUTSIDE CORNER
<p>EXTERIOR BLADE SUPPORT BRACKETS 1.25" CONCEALED ANGLE FRAME</p>	<p>EXTERIOR BLADE SUPPORT BRACKETS 1.25" STIFFENER (EVERY 60" WIDTH MAX) BLADE STIFFENER</p>	<p>EXTERIOR BLADE SUPPORT BRACKETS 1.25" STIFFENERS (JOINED BY INSTALLER) HIDDEN</p>	<p>EXTERIOR BLADE SUPPORT BRACKETS 1.25" STIFFENERS (JOINED BY INSTALLER) 12" TYP. CORNERS MITERED AND WELDED</p>
TYPICAL MOUNTING		HORIZONTAL MULLION (MULTIPLE PANELS HIGH)	
<p>REAR EDGE OF LOUVER BLADE SUPPORT BRACKETS 3/8" BOLT (PROVIDED) LOUVER FRAMING (ENTIRE HEIGHT) 1.50" FASTENER TO STRUCTURAL (BY INSTALLER) 1-1/4" X 1-1/4" X 2" LONG CLIP ANGLE (PROVIDED) STRUCTURAL FRAMING (BY OTHERS)</p>		<p>STIFFENERS (JOINED BY INSTALLER) HIDDEN</p>	
<p>266 West Mitchell Ave - Cincinnati, OH 45232 PH: (888) 568-8371 Fax: (888) 568-8370</p>		PROJECT	
		CONTRACTOR	
		ARCHITECT	
		DRAWN BY: JRR	DATE: 08/2007
		DRAWING TYPE: TECHNICAL SHEET	
		DRAWING TITLE: V2KS	